公司地址：河北省保定市高阳县高任路李果庄工业区
公司电话/WeChat：18231230998 15831548188
WhatsApp：+8615831548188
网址：www.jinshiqiang.com
ADD:LiguoZhang Industrial Zone,North of Gaoren Road，
Gaoyang County，Baoding City，Hebei Province
E-mall:chensha81888@163.com

WeChat WhatsApp Tiktok Facebook

金世强自动化
KINGSKON

AUTOMATIC TOWEL SEWING MACHINE

毛巾缝制设备

www.jinshiqiang.com

金世强自动化科技（保定）有限公司
JINSHIQIANG AUTOMATION TECHNOLOGY（BAODING）CO., LTD

中国·河北

金世强自动化科技（保定）有限公司
JINSHIQIANG AUTOMATION TECHNOLOGY（BAODING）CO., LTD



公司简介
Company Profile

金世强自动化科技（保定）有限公司是一家集生产、研发、销售为一体的全自动毛巾缝制设备公司，致力于为纺织行业提供高效、智能的自动化解决方案。公司拥有一支经验丰富的技术团队，不断创新和优化产品性能，提高缝纫效率，并降低劳动力成本，以满足市场对高质量毛巾加工的需求。公司产品涵盖全自动毛巾纵缝机、全自动毛巾横缝机等多种智能化设备，广泛应用于毛巾生产企业，提高生产自动化水平。金世强自动化科技（保定）有限公司凭借先进的技术、稳定的产品质量和完善的售后服务，赢得了国内外客户的广泛认可，致力于成为行业领先的自动化设备供应商。

Jinshiqiang Automation Technology (Baoding) Co., Ltd. is a fully automatic towel sewing equipment company integrating production, R&D and marketing, dedicated to providing efficient and intelligent automation solutions for the textile industry. The company has an experienced technical team that continuously innovates and optimizes product performance, improves sewing efficiency, and reduces labor costs to meet the market demand for high-quality towel processing. The company's products cover a variety of intelligent equipment such as fully automatic towel longitudinal sewing machines and automatic towel transverse sewing machines, which are widely used in towel production companies to improve the level of production automation. With advanced technology, stable product quality and perfect after-sales service, Jinshiqiang Automation Technology (Baoding) Co., Ltd. has won wide recognition from domestic and foreign customers and is committed to becoming an industry-leading supplier of automation equipment.

金世强自动化
KINGSKON

WeChat　WhatsApp　Tiktok　Facebook

关于我们　ABOUT US

主要合作品牌
Main Cooperative Brands

PEGASUS 飞马

Panasonic 松下电器

brother At your side 日本兄弟缝纫机

三菱电机 MITSUBISHI ELECTRIC

VEICHI 伟创电气

SMC

主要产品
Main Products



全自动毛巾横缝机
Automatic Towel Sewing Machine



全自动毛巾纵缝机
左右手链式缝纫
Automatic Towel Longitudinal StitcherLeft
And Right Hand Chain Stitch Sewing



全自动毛巾横缝机
Automatic Towel Sewing Machine



全自动浴巾横缝机
Fully Automatic Bath TowelHorizontal Sewing Machine

全自动毛巾横缝机
Automatic Towel Sewing Machine

性能特点 Performance Features

1.智能控制，一键启动，一人可同时控制多台设备，减少工人劳动强度；
2.上料纠偏机构：用于放置面料并具有纠偏功能，可以有效调整布料纬斜；
3.定长裁切机构：按需设定裁切长度；
4.折边机构：毛巾两侧折边工艺；
5.缝制机构：进口缝纫机头，确保缝纫线迹美观一致性；
6.上标机构：自动送标冷切，单标、折叠标均适用；
7.具有毛巾自动检测功能：毛巾织的过长、过短、毛巾之间的接头等，都能自动检测；
8.具有无料、断线、故障报警等自动停机功能。

1.Intelligent control, one-button start, one person can control multiple devices at the same time, reducing the labor intensity of workers;
2.Feeding correction mechanism: used to place fabrics and has correction function, which can effectively adjust the weft of fabrics;
3.Fixed length cutting mechanism: set cutting length as needed;
4.Folding mechanism: folding process on both sides of the towel;
5.Sewing mechanism: imported sewing machine head to ensure the beauty and consistency of sewing stitches;
6.Labeling mechanism: automatic label feeding and cold cutting, suitable for single label and folding label;
7.With automatic towel detection function: towels that are too long, too short, and joints between towels can be automatically detected;
8.With automatic shutdown functions such as no material, broken thread, and fault alarm.

产品展示
Product Presentation





全自动毛巾横缝机技术参数
Technical Parameters



名称	型号	重量	外形尺寸(MM)	功率	电压	气压	组成部分	产能	缝纫机转速	可调尺寸范围(MM)	线迹和工艺	商标尺寸	折边宽度	针距
全自动毛巾横缝机	JSQ-400	1300KG	3000*4600*1800	7KW	220V/380V 50HZ	0.6MPA	进料装置；机械手装置；加热装置；裁切装置；后扫装置；压料装置；折叠装置；搬运装置；缝纫装置；加标标机	11-13条/Min	3000R/Min	毛巾宽度230-400 毛巾长度260-1100	锁式线迹	折叠标 长度40mm-120mm 宽度10mm-50mm 非折叠标 长度25mm-75mm 宽度10mm-50mm	12-15mm 和 15-20mm	0.1-12.7mm
	JSQ-500	1500KG	3200*5000*1800							毛巾宽度280-500 毛巾长度280-1100				

Description	Model	Weight	Dimension(MM)	Power	Voltage	Air presser	Components	Capacity	Sewing speed	Size range(MM)	Stitches Available	Label size (MM)	Fold edge width (MM)	Needle distance
Automatic towel horizontal machine	JSQ-400	1300KG	3000*4000*1800	7KW	220V/380V 50HZ	0.6MPA	Feeding device; Robotic arm device; Heating device; Cutting device; Back sweeping device; Pressing device; Folding device; Handling device; Sewing device; Labeling machine	11-13pcs /Min	3000R/Min	width 230-400 length 260-1100	Lock chain stitch	Folding label Length40-120 Width10-50 Non-folding label Length25-75 Width10-50	12-15mm and 15-20mm	0.1-12.7mm
	JSQ-500	1500KG	3200*5000*1800							width 280-500 length 280-1100				

全自动毛巾纵缝机--左右手链式缝纫
Automatic Towel Longitudinal Stitcher Left And Right Hand Chain Stitch Sewing

● 产品特点 Product Features

1.单针链式线迹，使用光纤检测毛巾边，缝纫机自动跟随毛巾边
Single needle chain stitchingdetect the towel rim by optical fiber, and the stitcher automatically follows the towel rim

2.进布自动纠偏，使毛巾居中
Automatically correct cloth feeding and align the towel

3.多套伺服电机系统完全同步技术，缝纫、牵引、及输送完全同步，毛巾缝制过程料面平整
Multiple servo motors, stitching, traction, feed rollers are fully synchronized: the fabricsurface is smooth during stitching

● 产品展示
Product Presentation



单针链式线迹
Single needle chain stitch



双针链式线迹
Double-needle chain stitches



三针五线线迹
Three-needle five-thread stitch

● 全自动毛巾纵缝机 --左右手链式缝纫技术参数 Technical Parameters



名称	型号	重量	外形尺寸(MM)	功率	电压	气压	组成部分	产能	缝纫机转速	可调尺寸范围(MM)	线迹和工艺
全自动毛巾纵缝机	JSQ-900	600KG	4200*1700*2800	3KW	220V/380V	0.6MPA	纠偏装置 检测装置 卷边装置 缝纫装置 摆布装置	18M-20M/Min	0-6000R/Min	230-900mm	单针链式线迹; 双针链式线迹; 三针五线; 卷边工艺
	JSQ-1250	700KG	4200*2200*2800							230-1250mm	

Description	Model	Weight	Dimension(mm)	Power	Voltage	Air presser	Components	Capacity	Sewing speed	Size range (MM)	Stitches Available
Automatic towel length hemming machine	JSQ-900	600KG	4200*1700*2800	3KW	220V/380V	0.6MPA	Correction device; Detection device; edge curling device; Sewing device; fabric swinging device	18M-20M/Min	0-6000R/Min	230-900mm	Single needle chain stitch; Double needle chain stitch; Three needle five thread; Curling process
	JSQ-1250	700KG	4200*2200*2800							230-1250mm	

全自动浴巾横缝机
Fully Automatic Bath Towel Horizontal Sewing Machine

● 性能特点 Performance Features

1.智能控制，一键启动，一人可同时控制多台设备，减少工人劳动强度；
2.上料纠偏机构：用于放置面料并具有纠偏功能，可以有效调整布料纬斜；
3.定长裁切机构：按需设定裁切长度；
4.折边机构：浴巾两侧折边工艺；
5.缝制机构：进口缝纫机头，确保缝纫线迹美观一致性；
6.上标机构：自动送标冷切，单标、折叠标均适用；
7.具有浴巾自动检测功能：浴巾织的过长、过短、浴巾之间的接头等，都能自动检测；
8.具有无料、断线、故障报警等自动停机功能。

1.Intelligent control, one-button start, one person can control multiple devices at the same time, reducing the labor intensity of workers;
2.Feeding correction mechanism: used to place fabrics and has correction function, which can effectively adjust the weft of fabrics;
3.Fixed length cutting mechanism: set cutting length as needed;
4.Folding mechanism: folding process on both sides of the bathtowel;
5.Sewing mechanism: imported sewing machine head to ensure the beauty and consistency of sewing stitches;
6.Labeling mechanism: automatic label feeding and cold cutting, suitable for single label and folding label;
7.With automatic bathtowel detection function: bathtowels that are too long, too short, and joints between bathtowels can be automatically detected;
8.With automatic shutdown functions such as no material, broken thread, and fault alarm.

● 产品展示
Product Presentation





● 全自动浴巾横缝机技术参数
Technical Parameters



名称	型号	重量（千克）	外形尺寸(MM)	功率	电压	气压	组成部分	产能	缝纫机转速	可调尺寸范围(MM)	线迹和工艺	商标尺寸(MM)	折边宽度(MM)	针距
全自动浴巾横缝机	JSQ-700	2500	4400*5000*2000	8KW	220V/380V 50HZ	0.6MPA	进料装置；机械手装置；裁切装置；后扫装置；压料装置；折叠装置；搬运装置；缝纫装置；加标标机	8-9条/Min	3000R/Min	毛巾宽度450-700 毛巾长度500-1400	锁式线迹	折叠标 长度40mm-120mm 宽度10mm-50mm 非折叠标 长度25mm-75mm 宽度10mm-50mm	16-20mm/20-25mm（其他尺寸可定制）	0.1-12.7mm
	JSQ-850	3000	5200*5000*2000							毛巾宽度400-850 毛巾长度500-1600				
	JSQ-900（中国首创）	3500	5600*5000*2000					7-8条/Min		毛巾宽度450-900 毛巾长度500-1800				

Description	Model	Weight (KG)	Dimension(mm)	Power	Voltage	Air presser	Components	Capacity	Sewing speed	Size range (MM)	Stitches Available	Label size (MM)	Fold edge width(MM)	Needle distance
Automatic bath towel horizontal sewing machine	JSQ-700	2500	4400*5000*2000	8KW	220V/380V50HZ	0.6MPA	Feeding device; Robotic arm device; Cutting device; Back sweeping device; Pressing device; Folding device; Handling device; Sewing device; Labeling machine	8-9PCS/Min	3000R/Min	width 450-700 length 500-1400	Lock chain stitch	Folding label Length40-120 Width10-50 Non-folding label Length25-75 Width10-50	16-20/20-25 (Other sizes can be customized)	0.1-12.7mm
	JSQ-850	3000	5200*5000*2000							width 400-850 length 500-1600				
	JSQ-900 PIONEERING PRODUCT)	3500	5600*5000*2000	8KW				7-8PCS/Min		width 450-900 length 500-1800				

全自动面料切割机
Fully Automatic Fabric Cold Cutting Machine



• 产品特点 Product Features

1. 高效率裁剪
- 自动排料/自动送料/连续裁剪，显著提高生产效率。
- 支持多层或单层裁剪，适用于不同工艺需求。
- 适合大批量订单的快速处理。

2. 高精度与一致性
- 使用自动识别进行定位裁剪，误差小于±3mm。
- 保证每一件裁片的尺寸与形状一致，减少人工误差。

3. 多种尺寸裁切/裁切方式
- 可切割不同类型的面料，如超细纤维面料、牛仔布、窗帘布、床毯面料、复合材料等。

4. 减少人工成本
- 裁剪、标记、排版等流程自动完成，大幅减少操作人员数量。
- 减轻工人劳动强度。


1. High-efficiency cutting
- Automatic nesting/automatic feeding/continuous cutting, significantly improving production efficiency.
- Supports multi-layer or single-layer cutting, suitable for different process requirements.
- Suitable for rapid processing of large-volume orders.

2. High precision and consistency
- Use automatic identification for positioning cutting, with an error of less than ±3mm.
- Ensure that the size and shape of each piece are consistent, reducing manual errors.

3. Multiple size cutting/cutting methods
- Can cut different types of fabrics, such as microfiber fabrics, denim, curtain fabrics, bed blanket fabrics, composite materials, etc.

4. Reduce labor costs
- The processes of cutting, marking, typesetting, etc. are completed automatically, greatly reducing the number of operators.
- Reduce the labor intensity of workers.

• 全自动面料切割机技术参数
Fully Automatic Fabric Cold Cutting Machine



产品名称	产品型号	裁切范围	占地面积	功率	电压	气压	组成部分	产能
全自动面料切割机	JSQ-2000	25cm-210cm	5*10m	7KW	220V	0.6MPA	拉布装置 升降装置 纠偏装置 送布装置 横切刀1把 竖切刀9把	9-11刀/Min
	JSQ-2500	30cm-250cm						

Product Name	Model	Cutting range	Land area	Power	Voltage	Air presser	Components	Capacity
Fully automatic fabric cold cutting machine	JSQ-2000	25cm -210cm	5*10m	7KW	220V	0.6MPA	Cloth pulling device Lifting device Correcting device Cloth feeding device 1 cross-cutting knife 9 vertical cutting knives	9-11 cuts /Min
	JSQ-2500	30cm-250cm						

销售分部图
Sales Distribution

